

SCALP DMC 74 LIQUID

ALKALINE STRIPPING SOLUTION FOR WOODS AND METALS





PACKAGING:

- 1,240 kg container
- 240 kg barrel
- 25 kg: 24 x 25 kg pallet

A REAS OF APPLICATION

This product is designed for cleaning and stripping wood and metals.

APPLICATION

1.DILUTION: Product is ready to use (product may be diluted to a 50 % concentration in certain cases).

2.APPLICATION EQUIPMENT: Stainless-steel tank, composite materials suited to basic solutions. Can also be used in a high-pressure washer as an additive.

3.MODE OF OPERATION: Stripping bath. Pour product into the tank and in need, add water. Immerse the parts to be stripped in the bath and leave them as long as required until every coat of paint has been completely stripped away. Take out the stripped parts and rinse with pressurised water. Leave to dry.

4.APPLICATION TIME: 1 to several hours.

 $\underline{\text{5.APPLICATION TEMPERATURE}}$: 5 °C to 50 °C. Effectiveness is reduced at extreme temperatures.

6.YIELD: 300 to 600 g / m² based on the porosity of the substrate.

<u>7.TOOL CLEANING</u>: Tools must be cleaned with water straight after use.

8.STORAGE:

- Minimum storage temperature: +10 °C
- Maximum storage temperature: +25 °C

Store the product in frost-free premises, away from the elements, incandescent light sources and direct sunlight. If the product is not used within 12 months of its date of manufacture but storage conditions have been met, its expiry date will be extended by one year.

PHYSICO-CHEMICAL FEATURES

Liquid product

Slightly yellowish liquid

Density at 20 °C: 1.33 +/- 0.05 g / cm3

Frost-proof

pH: 14

Flash point: None

A PPLICATION PRECAUTIONS

PROTECTION OF SURFACES: Corrosive to aluminium, zinc and galvanised metal.

PROTECTION OF PERSONS: This product is highly basic and can cause serious skin burns. Boots, gloves, protective eye and face gear, as well as suitable overalls must be worn when using this product. In the event of contact with the product, immediately wash with water. Prevent all contact with skin and mucous membranes. Avoid splashing when handling the product. For safe handling, please refer to the safety data sheet.

Important: The contents of this document stem from our experience with the product. We cannot be held liable as far as its use is concerned in every individual case. Given the particular characteristics of each surface (wear and tear, alteration of the entire surface and / or its properties, chemical composition etc.), and to avoid any damage to the surface to be treated, it is essential that the Scalp product be tested on a small area to be treated, by following the procedure for application, in order to ensure that no alteration occurs. Professional product: dangerous, follow application precautions. Wear personal protective equipment (PPE) and refer to the safety data sheet (SDS).







