

WATER-BASED WATERPROOFING CONTAINING RAW MATERIALS OF PLANT-BASED AND BIOSOURCED ORIGIN

WATER-BASED WATERPROOFING FOR ALL RAW SURFACES

PREVENTIVE PRODUCT CONTAINING RAW MATERIALS OF PLANT-BASED AND BIOSOURCED ORIGIN

P PRODUCT BENEFITS



- Water-based product
- Contains raw materials of plant and biosourced origin
- Limits frost damage
- Microporous
- Does not change the appearance or porosity of the substrate
- Prevents soiling of roofs, walls and facades, and limits the formation of micro-organisms
- Indoor air quality rating : A+
- Very low VOC content
- Sprayable: Ideal for drone application = increased safety, time savings, uniform spraying, cost reduction



PACKAGING :

- 20 L : pallet of 24 X 20 L
- 5 L : carton of 4 X 5 L



A AREAS OF APPLICATION

Made from plant-based and biosourced raw materials, SCALPFUGE EKO'R is primarily designed to protect walls, roofs and facades, as well as all porous materials. It is ideal for hydraulic coatings, stone, brick, marble, concrete, tiles, slate and fibrocement. VOC-free, SCALPFUGE EKO'R limits clogging of treated surfaces and lets materials breathe without altering their appearance.

A APPLICATION

DILUTION: Ready to use, do not dilute.

TOOLS: Brush or sprayer, Compatible with spray drones

METHOD: Thoroughly homogenize SCALPFUGE EKO'R, then apply to the surface to be treated, working from the bottom up until the surface is saturated. Apply two passes at 10-minute intervals. Avoid overloading the product, as this may lead to drips and marks on the substrate. Apply SCALPFUGE EKO'R to clean substrates (new or cleaned).

APPLICATION TIME: SCALPFUGE EKO'R is an impregnating product. Water repellency will be effective immediately after application of SCALPFUGE EKO'R.

APPLICATION TEMPERATURE: From 5 to 50°C. Efficacy is reduced at extreme temperatures.

CLEANING OF TOOLS : Clean tools in water immediately after use.



SCALP is a French family-owned business and manufacturer of cleaning, protection and treatment solutions, with over 65 years as a construction-industry specialist.

APPLICATION RATE: Depends on materials and their porosity.*

STORAGE: Store the product in a frost-free location where it is protected from the weather and away from direct sunlight.

* Coverage areas are provided for information only and can be used to assess a project. They are in no way contractual; only tests can define the actual amount of product required depending on the surface to be treated.

CARACTERISTICAS FISICOQUIMICAS

- | | |
|---|--|
| <ul style="list-style-type: none">• Aqueous emulsion• Poor odour• Density: 0.99 +/- 0.03 g/cm³ at 20°C | <ul style="list-style-type: none">• pH : 6• Not frost resistant• Flash point : N/A |
|---|--|

APPLICATION PRECAUTIONS

PROTECTION OF SURFACES: Protect surfaces that will not be waterproofed (glass, PVC etc.).

PROTECTION OF PERSONNEL: Avoid contact with eyes and skin. In the event of contact, immediately wash with water. Wear PVC gloves. Wear a helmet visor to shield the face while spraying. Wear safety goggles when applying with a roller or brush. Wear suitable overalls (waterproof).

Important: The contents of this documentation result from our experience of the product. We cannot be held responsible for its use in each individual case. It is essential to test areas to be treated beforehand. See the Safety Data Sheet (SDS).



SCALP is a French family-owned business and manufacturer of cleaning, protection and treatment solutions, with over 65 years as a construction-industry specialist.