



SCALP FACANET PAE

HEAVY-DUTY CLEANER & SCOURER
NO-RINSE, CHLORINE-FREE PRODUCT FOR FACADES, ROOFS, WALLS
AND OUTDOOR FLOORS
IDEAL FOR DRONE APPLICATION

PRODUCT BENEFITS



- Sprayable : Ideal for drone application = increased safety, time savings, uniform spraying, cost reduction
- Deep-acting, removes all types of soiling
- Rinse-free and re-coatable after 48 hours. If necessary, brush the surface to be covered to ensure that no loose parts remain.
- · Chlorine-, caustic- and potassium-free
- Low odour
- No rinsing
- VOC-free



PACKAGING:

- 20 litres: pallet of 24 X 20 litres
- 5 litres: carton of 4 X 5 litres



A REAS OF APPLICATION

SCALP FACANET PAE is specifically designed to provide effective cleaning and degreasing of façades, roofs, walls, and outdoor floors. Ideal for the treatment of roofs, terraces, and gravelled surfaces, it is perfectly suited for stone, brick, cement, fiber cement, concrete, hydraulic and organic renders, etc., that have been contaminated by urban atmospheric pollution (soot deposits, dust, fine particles). Using this product, you can restore facades, roofs, walls and floors to their original condition.

It is also suitable for drone application, particularly for cleaning and degreasing façades and walls, even in hard-to-reach or high areas.

APPLICATION

- 1. DILUTION: SCALP FACANET PAE is ready to use.
- 2. TOOLS: Roller, low-pressure sprayer, airless.
- <u>3. METHOD:</u> Apply the product at an average rate of 250g/m², depending on soiling, from bottom to top on dry surfaces. Do not rinse product. Over hours and days, soiling will disappear. Recoatable after 48 hours. Apply in dry weather.
- 4. TIME OF ACTION: From 48H to several months
- <u>5. APPLICATION TEMPERATURE</u>: From 5 to 50°C. Effectiveness is reduced at extreme temperatures.

6. CLEANING OF TOOLS: Clean tools in water immediately after use.

7. APPLICATION RATE: From 250 to 350 g /m² environ.*.

<u>8. STORAGE</u>: Store the product in a frost-free location where it is protected from the weather and away from direct sunlight.

PHYSICOCHEMICAL PROPERTIES

Yellowish liquid

• pH : 7

Density: 0,99 +/- 0.03 g /cm3 at 20°C

Not frost resistant

Flash point : N/A


A PPLICATION PRECAUTIONS

1. PROTECTION OF SURFACES: Protect any surface not to be cleaned. It is advisable to carry out preliminary tests on all surfaces before applying the product.

2. PROTECTION OF PERSONS: Wash immediately with plenty of water in case of contact. Do not breathe vapours or mix with acids. Wear PVC gloves. Wear a helmet with face shield for spray application. Wear goggles for roller or brush application. Wear suitable coveralls (waterproof). If swallowed, do not induce vomiting, but seek medical advice immediately and show this container or label. Contact your nearest poison control center (Paris: 01 40 05 48 48 Lyon: 04 72 11 69 11 Marseille: 04 91 74 51 80).

Important: The contents of this documentation result from our experience of the product. We cannot be held responsible for its use in each individual case. It is essential to test areas to be treated beforehand. See the Safety Data Sheet (SDS).







^{*} Coverage areas are provided for information only and can be used to assess a project. They are in no way contractual; only tests can define the actual amount of product required depending on the surface to be treated.