

SCALPFUGE ANTI-M

A NEW GENERATION PRODUCT DESIGNED FOR
PREVENTIVE DUAL ACTION TREATMENT: WATER
REPELLENT & ALGAECIDE



PRODUCT BENEFITS



- Preventive
- Water based
- Odourless
- Dual action: Time saving for finishing trades
- Non-film forming product
- Effective on all surfaces
- No rinsing required
- High persistence rate, over 2 years (depending on climatic conditions)
- Low VOC



PACKAGING :

- In 200 litres drums
- In 20 litres, 24 x 20 litres pallets
- In 5 litres, 4 x 5 litres parcels

AREAS OF APPLICATION

1. For the treatment of new constructions and surfaces against the formation of microorganisms, algae and lichens, and against damp problems.
2. For the renovation of old buildings, after the use of our RENOV'EXPRESS, SCALP PIERRE AQUA 89, SCALPNET AQUA 37 to provide a high fungicide persistence rate and long term water repellent protection. SCALPFUGE ANTI-M is a fungicide for roofs, façades, walls and floors. This product is designed for use on building materials (tile, slate, fibro-cement, shingle, stone, mineral coatings, lime coatings, brick, plaster, concrete, roughcast, thick plasticized coatings, wood) SCALPFUGE ANTI-M stops micro-organisms from developing (algae, lichen, moulds) and water penetrating the surface.

APPLICATION

1. **DILUTION:** Ready to use, never dilute.
2. **APPLICATION EQUIPMENT:** Roller, manual sprayer, airless spray gun
3. **MODE OF OPERATION:** Mix SCALPFUGE ANTI-M well then apply to the surface to be treated, from the base upwards until the surface is saturated. Apply one or two coats a 10-minute intervals. Avoid overuse of the product, which could leave coloured traces on the surface. Apply SCALPFUGE ANTI-M to clean and preferably dry surfaces.



SCALP is a French family-owned business and manufacturer of cleaning, protection and treatment solutions, with over 65 years as a construction-industry specialist.

4. APPLICATION TIME: SCALPFUGE ANTI-M is a permeating solution. The treatment will be effective immediately on complete drying of SCALPFUGE ANTI-M (one to several hours).

5. APPLICATION TEMPERATURE: 5 °C to 50 °C. Effectiveness is reduced at extreme temperatures.

6. TOOL CLEANING: Clean tools in water immediately after use.

7. YIELD: According to materials and their porosity.*

8. STORAGE: Store the product in a cool dry place and out of direct sunlight.

* Yield information is only provided as a rough guide. This information is useful to determine the amount needed for the work. This information is in no way contractual. The exact quantity of product to be applied can only be established through tests, based on the different surfaces to be treated.

PHYSICOCHEMICAL PROPERTIES

- | | |
|--|---|
| <ul style="list-style-type: none">• Bactericidal, fungicidal and oligo-siloxane based product• White milky liquid• Density 0.995 g / cm³ at 20 °C | <ul style="list-style-type: none">• pH: 7 (neutral)• Not frost resistant• Flash point: None• VOC content: max 1 mg/L |
|--|---|

APPLICATION PRECAUTIONS

1. PROTECTION OF SURFACES: Protect surfaces not to be treated. Avoid contact with surrounding vegetation.

2. PROTECTION OF PERSONS Wear appropriate protective equipment and clothing. Avoid contact with skin and eyes. Wash immediately and abundantly with water in case of contact. Do not inhale fumes and do not mix with acids. Do not pour the product or its waste into rivers or watercourses.

3. SOILED PACKAGING: must be completely emptied out. After cleaning with a suitable detergent, packaging may be reused. Unused product is eliminated by incineration at an approved centre. The packaging may be discarded as non-hazardous waste at the full responsibility of the holder of this waste. Residue must not be thrown down the drain and into watercourses. In the event of swallowing, do not induce vomiting, but immediately see a doctor and show them the packaging or label. Contact the nearest treatment centre for poisoning cases. Expiry date: 2 years (after manufacture). Safety data sheet available for professionals on request. Read the label before use.

Important: The contents of this document stem from our experience with the product. We cannot be held liable as far as its use is concerned in every individual case. Given the particular characteristics of each surface (wear, alteration of the entire surface and/or its properties, chemical composition etc.), and to avoid any damage to the surface to be treated, it is essential that some of the SCALP product be tested on a small area to be treated, by following the procedure for application, and thereby ensuring that there is no alteration. Professional product: dangerous, follow application precautions. Wear personal protective equipment (PPE) and refer to the safety data sheet (SDS).



SCALP is a French family-owned business and manufacturer of cleaning, protection and treatment solutions, with over 65 years as a construction-industry specialist.